

Land Owner:
Water Supply Lat/Long:
Water Supply Depth:
Treatment (Y/N):
Gas Well Operator:
Gas Well:
Distance:

		Sample Location	Sample Medium	Latitude	Longitude	Treatment Collection	Source	Sample Date	Alkalinity (mg/L)	Chloride (mg/L)	Chloride (SAC 942) (mg/L)	Chloride (SAC 160) (mg/L)	Color (FT/C)	Conductivity
Primary Maximum Contaminant Levels	a													
Secondary Maximum Contaminant Levels	b									250	250	250	15	
Recommended Action Levels	c													
			Well				CABOT	7/17/2008			6.55			
			Well				WSM (DEP)	12/17/2008				11	<5	
KITCHEN SINK		KITCHEN SINK	Well				DEP	12/1/2009						
			Well				CABOT	2/20/2009		9.33				
			Well				DEP	4/19/2010	116.6	3				247
			Well				DEP	6/15/2010	118	3.3				255
			Well				DEP	7/8/2010						
			Well				DEP	7/13/2010	114.4	3				253
			Well				DEP	7/21/2010	116.4	2.9				248
			Well				DEP	7/29/2010	115	3.1				252
			Well				DEP	8/4/2010	114.6	3				251
			Well				DEP	8/11/2010	117.2	3				254
			Well				DEP	8/18/2010	115.4	2.9				247
			Well				DEP	8/24/2010	113.8	3				258
			Well				DEP	8/31/2010	115.6	2.6				259
			Well				DEP	9/8/2010	116.2	2.9				255
			Well				DEP	9/15/2010	114		2.8	3.52	<5	255
			Well				DEP	9/21/2010	119.4	2.8				259
			Well				DEP	10/7/2010	116.8	2.9				259
			Well				DEP	10/13/2010	117.4	2.6				248
			Well				DEP	10/21/2010	115.4	2.7				257
KITCHEN FAUCET		KITCHEN FAUCET	Well				CABOT	10/27/2010		5.24				252
KITCHEN SINK		KITCHEN SINK	Well				CABOT	1/10/2011						165
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	1/27/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	2/11/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	2/17/2011						249
SPIGOT ON KITCHEN SINK		SPIGOT ON KITCHEN SINK	Well				CABOT	3/3/2011						178
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	3/17/2011						173
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	3/31/2011						249
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	4/12/2011						250
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	4/26/2011						186
			Well				CABOT	5/10/2011						118
			Well				CABOT	5/24/2011						182
			Well				CABOT	6/7/2011						188
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	6/23/2011	105	19.6				218
WELL 1 BEFORE		WELL 1	Well			Pre-Treatment	CABOT	6/23/2011	115	16.1				218
WELL 1 AFTER		WELL 1	Well			Post-Treatment	CABOT	6/23/2011	115	16.1				218
WELL 1		WELL 1	Well			Pre-Treatment	CABOT	7/7/2011						236

WELL 1				WELL 1	Well			Pre-Treatment	CABOT	7/20/2011							266
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/3/2011							260
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/31/2011							142

Notes:
a - Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
b - E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effects in drinking water.
c - Recommended action level from the Office of Surface Mining Reclamation and Enforcement - Appalachian Regional Coordinating Center, Pittsburgh, PA (September 2001)

Land Owner:
Water Supply Lat/Long:
Water Supply Depth:
Treatment (Y/N):
Gas Well Operator:
Gas Well:
Distance:

		Sample Location	Sample Medium	Latitude	Longitude	Treatment Collection	Source	Sample Date	DO (mg/L)	Hardness (mg/L)	MBAS (mg/L)	Nitrate as N (mg/L)	ORP (mV)	pH (pH units)
Primary Maximum Contaminant Levels	a											10		
Secondary Maximum Contaminant Levels	b										0.5			6.5-8.5
Recommended Action Levels	c													
			Well				CABOT	7/17/2008			<0.2			7.1
			Well				WSM (DEP)	12/17/2008				0.08		
KITCHEN SINK		KITCHEN SINK	Well				DEP	1/21/2009						
			Well				CABOT	2/20/2009	3.39		<0.20		188.3	8.17
			Well				DEP	4/19/2010		112				8.1
			Well				DEP	6/15/2010		112				7.8
			Well				DEP	7/8/2010						
			Well				DEP	7/13/2010		113				8.2
			Well				DEP	7/21/2010		111				8
			Well				DEP	7/29/2010		118				7.6
			Well				DEP	8/4/2010		119				7.8
			Well				DEP	8/11/2010		110				7.8
			Well				DEP	8/18/2010		114				7.9
			Well				DEP	8/24/2010		110				7.9
			Well				DEP	8/31/2010		112				7.4
			Well				DEP	9/8/2010		105				7.9
			Well				DEP	9/15/2010		111				
			Well				DEP	9/21/2010		107				7.3
			Well				DEP	10/7/2010		108				7.8
			Well				DEP	10/13/2010		112				7.7
			Well				DEP	10/21/2010		113				7.8
KITCHEN FAUCET		KITCHEN FAUCET	Well				CABOT	10/27/2010	2.44		<0.08		115.9	6.96
KITCHEN SINK		KITCHEN SINK	Well				CABOT	1/10/2011	3.41				168.8	6.35
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	1/27/2011	5.07				0.9	7.68
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	2/11/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	2/17/2011	10.82				191	6.98
SPIGOT ON KITCHEN SINK		SPIGOT ON KITCHEN SINK	Well				CABOT	3/3/2011	7.36				127.9	7.45
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	3/17/2011	6.55				156.9	6.99
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	3/31/2011	5.6				151	7.11
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	4/12/2011	6.19				164.7	7.35
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	4/26/2011	5.32				170.4	7.63
			Well				CABOT	5/10/2011	6.14				118	7.49
			Well				CABOT	5/24/2011	5.64				149.9	
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	6/7/2011	11.85				135.8	7.36
WELL 1 BEFORE		WELL 1	Well			Pre-Treatment	CABOT	6/23/2011	2.16	116	<0.08	<1	14.2	7.23
WELL 1 AFTER		WELL 1	Well			Post-Treatment	CABOT	6/23/2011	9.87	89	<0.08	<1	121.8	7.61
WELL 1		WELL 1	Well			Pre-Treatment	CABOT	7/7/2011	3.21				129.4	6.9

WELL 1				WELL 1	Well			Pre-Treatment	CABOT	7/20/2011	5.8					192	7.37
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/3/2011	5.72					167	7.61
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/31/2011	5.89					119	7.54

Notes:
a - Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
b - E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effects in drinking water.
c - Recommended action level from the Office of Surface Mining Reclamation and Enforcement - Appalachian Regional Coordinating Center, Pittsburgh, PA (September 2001)

Land Owner:
Water Supply Lat/Long:
Water Supply Depth:
Treatment (Y/N):
Gas Well Operator:
Gas Well:
Distance:

		Sample Location	Sample Medium	Latitude	Longitude	Treatment Collection	Source	Sample Date	pH (SAC 942) (pH units)	pH (SAC 160) (pH units)	Sulfate (mg/L)	Sulfide (mg/L)	TDS (mg/L)	TDS (SAC 942) (mg/L)
Primary Maximum Contaminant Levels	a													
Secondary Maximum Contaminant Levels	b								6.5-8.5	6.5-8.5	250		500	500
Recommended Action Levels	c													
			Well				CABOT	7/17/2008				<1	164	
			Well				WSM (DEP)	12/17/2008	7.1	8.1	9.97			
KITCHEN SINK		KITCHEN SINK	Well				DEP	12/1/2009					196	
			Well				CABOT	2/20/2009				<1	144	
			Well				DEP	4/19/2010					158	
			Well				DEP	6/15/2010					156	
			Well				DEP	7/8/2010						
			Well				DEP	7/13/2010					156	
			Well				DEP	7/21/2010					154	
			Well				DEP	7/29/2010					136	
			Well				DEP	8/4/2010					152	
			Well				DEP	8/11/2010					152	
			Well				DEP	8/18/2010					138	
			Well				DEP	8/24/2010					148	
			Well				DEP	8/31/2010					146	
			Well				DEP	9/8/2010					154	
			Well				DEP	9/15/2010	7.8	7.9	11.9			118
			Well				DEP	9/21/2010					156	
			Well				DEP	10/7/2010					<5	
			Well				DEP	10/13/2010					144	
			Well				DEP	10/21/2010					154	
KITCHEN FAUCET		KITCHEN FAUCET	Well				CABOT	10/27/2010				<1	124	
KITCHEN SINK		KITCHEN SINK	Well				CABOT	1/10/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	1/27/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	2/11/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	2/17/2011						
SPIGOT ON KITCHEN SINK		SPIGOT ON KITCHEN SINK	Well				CABOT	3/3/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	3/17/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	3/31/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	4/12/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	4/26/2011						
			Well				CABOT	5/10/2011						
			Well				CABOT	5/24/2011						
			Well				CABOT	6/7/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	6/23/2011			16	<1	124	
WELL 1 BEFORE		WELL 1	Well			Pre-Treatment	CABOT	6/23/2011			15	<1	112	
WELL 1 AFTER		WELL 1	Well			Post-Treatment	CABOT	6/23/2011						
WELL 1		WELL 1	Well			Pre-Treatment	CABOT	7/7/2011						

WELL 1				WELL 1	Well			Pre-Treatment	CABOT	7/20/2011						
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/3/2011						
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/31/2011						

Notes:
a - Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
b - E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effects in drinking water.
c - Recommended action level from the Office of Surface Mining Reclamation and Enforcement - Appalachian Regional Coordinating Center, Pittsburgh, PA (September 2001)

Land Owner:
Water Supply Lat/Long:
Water Supply Depth:
Treatment (Y/N):
Gas Well Operator:
Gas Well:
Distance:

			Sample Location	Sample Medium	Latitude	Longitude	Treatment Collection	Source	Sample Date	TDS (SAC 160) (mg/L)	TSS (mg/L)	Turbidity (ntu)	Oil & Grease (mg/L)	Total Coliform (cfu/ 100 ml)	Fecal Coliform (cfu/ 100 ml)
Primary Maximum Contaminant Levels	a													0	0
Secondary Maximum Contaminant Levels	b									500					
Recommended Action Levels	c														
				Well				CABOT	7/17/2008		<5		<5		0
				Well				WSM (DEP)	12/17/2008			<0.3			
KITCHEN SINK			KITCHEN SINK	Well				DEP	12/1/2009						
				Well				CABOT	2/20/2009		<2			<1	<1
				Well				DEP	4/19/2010						
				Well				DEP	6/15/2010						
				Well				DEP	7/8/2010						
				Well				DEP	7/13/2010						
				Well				DEP	7/21/2010						
				Well				DEP	7/29/2010						
				Well				DEP	8/4/2010						
				Well				DEP	8/11/2010						
				Well				DEP	8/18/2010						
				Well				DEP	8/24/2010						
				Well				DEP	8/31/2010						
				Well				DEP	9/8/2010						
				Well				DEP	9/15/2010	134		0.37			
				Well				DEP	9/21/2010						
				Well				DEP	10/7/2010						
				Well				DEP	10/13/2010						
				Well				DEP	10/21/2010						
KITCHEN FAUCET			KITCHEN FAUCET	Well				CABOT	10/27/2010		<2	1	<5	<1	<1
KITCHEN SINK			KITCHEN SINK	Well				CABOT	1/10/2011						
OUTSIDE SPIGOT			OUTSIDE SPIGOT	Well				CABOT	1/27/2011						
OUTSIDE SPIGOT			OUTSIDE SPIGOT	Well				CABOT	2/11/2011						
OUTSIDE SPIGOT			OUTSIDE SPIGOT	Well				CABOT	2/17/2011						
SPIGOT ON KITCHEN SINK			SPIGOT ON KITCHEN SINK	Well				CABOT	3/3/2011						
OUTSIDE SPIGOT			OUTSIDE SPIGOT	Well				CABOT	3/17/2011						
OUTSIDE SPIGOT			OUTSIDE SPIGOT	Well				CABOT	3/31/2011						
OUTSIDE SPIGOT			OUTSIDE SPIGOT	Well				CABOT	4/12/2011						
OUTSIDE SPIGOT			OUTSIDE SPIGOT	Well				CABOT	4/26/2011						
				Well				CABOT	5/10/2011						
				Well				CABOT	5/24/2011						
				Well				CABOT	6/7/2011						
OUTSIDE SPIGOT			OUTSIDE SPIGOT	Well				CABOT	6/23/2011		5.6	3.53	<5	<1	<1
WELL 1 BEFORE			WELL 1	Well			Pre-Treatment	CABOT	6/23/2011		<2	<1	<5	<1	<1
WELL 1 AFTER			WELL 1	Well			Post-Treatment	CABOT	6/23/2011						
WELL 1			WELL 1	Well			Pre-Treatment	CABOT	7/7/2011						

WELL 1				WELL 1	Well			Pre-Treatment	CABOT	7/20/2011						
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/3/2011						
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/31/2011						

Notes:
a - Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
b - E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effects in drinking water.
c - Recommended action level from the Office of Surface Mining Reclamation and Enforcement - Appalachian Regional Coordinating Center, Pittsburgh, PA (September 2001)

Land Owner:
Water Supply Lat/Long:
Water Supply Depth:
Treatment (Y/N):
Gas Well Operator:
Gas Well:
Distance:

		Sample Location	Sample Medium	Latitude	Longitude	Treatment Collection	Source	Sample Date	Aluminum (mg/L)	Aluminum (SAC 942) (mg/L)	Aluminum (SAC 160) (mg/L)	Antimony (mg/L)	Arsenic (mg/L)	Barium (mg/L)
Primary Maximum Contaminant Levels	a											0.006	0.01	2
Secondary Maximum Contaminant Levels	b								0.05-0.2	0.05-0.2	0.05-0.2			
Recommended Action Levels	c													
			Well				CABOT	7/17/2008						
			Well				WSM (DEP)	12/17/2008			<0.010	<0.002	<0.003	0
KITCHEN SINK		KITCHEN SINK	Well				DEP	1/21/2009						
			Well				CABOT	2/20/2009	<0.050					0.164
			Well				DEP	4/19/2010	0.462					0.192
			Well				DEP	6/15/2010	0.0652					0.182
			Well				DEP	7/8/2010						
			Well				DEP	7/13/2010	0.05					0.166
			Well				DEP	7/21/2010	<0.010					0.156
			Well				DEP	7/29/2010	<0.2					0.147
			Well				DEP	8/4/2010	<0.010					0.151
			Well				DEP	8/11/2010	<0.2					0.162
			Well				DEP	8/18/2010	0.01					0.16
			Well				DEP	8/24/2010	<0.2					0.146
			Well				DEP	8/31/2010	<0.2					0.144
			Well				DEP	9/8/2010	<0.2					0.151
			Well				DEP	9/15/2010		<0.2	0.075	<0.002	<0.003	
			Well				DEP	9/21/2010	<0.2					0.145
			Well				DEP	10/7/2010	<0.2					0.159
			Well				DEP	10/13/2010	<0.2					0.136
			Well				DEP	10/21/2010	<0.2					0.138
KITCHEN FAUCET		KITCHEN FAUCET	Well				CABOT	10/27/2010	0.053				<0.002	0.157
KITCHEN SINK		KITCHEN SINK	Well				CABOT	1/10/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	1/27/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	2/11/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	2/17/2011						
SPIGOT ON KITCHEN SINK		SPIGOT ON KITCHEN SINK	Well				CABOT	3/3/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	3/17/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	3/31/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	4/12/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	4/26/2011						
			Well				CABOT	5/10/2011						
			Well				CABOT	5/24/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	6/7/2011						
WELL 1 BEFORE		WELL 1	Well			Pre-Treatment	CABOT	6/23/2011	<0.05				<0.005	0.17
WELL 1 AFTER		WELL 1	Well			Post-Treatment	CABOT	6/23/2011	0.048				<0.001	0.12
WELL 1		WELL 1	Well			Pre-Treatment	CABOT	7/7/2011						

WELL 1				WELL 1	Well			Pre-Treatment	CABOT	7/20/2011						
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/3/2011						
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/31/2011						

Notes:
a - Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
b - E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effects in drinking water.
c - Recommended action level from the Office of Surface Mining Reclamation and Enforcement - Appalachian Regional Coordinating Center, Pittsburgh, PA (September 2001)

Land Owner:
Water Supply Lat/Long:
Water Supply Depth:
Treatment (Y/N):
Gas Well Operator:
Gas Well:
Distance:

		Sample Location	Sample Medium	Latitude	Longitude	Treatment Collection	Source	Sample Date	Barium (SAC 942) (mg/L)	Barium (SAC 161) (mg/L)	Beryllium (mg/L)	Cadmium (mg/L)	Calcium (mg/L)	Chromium (mg/L)
Primary Maximum Contaminant Levels									2	2	0.004	0.005		0.1
Secondary Maximum Contaminant Levels														
Recommended Action Levels														
			Well				CABOT	7/17/2008						
			Well				WSM (DEP)	12/17/2008		0.175	<0.001	<0.0002		<0.004
KITCHEN SINK		KITCHEN SINK	Well				DEP	1/21/2009						
			Well				CABOT	2/20/2009						
			Well				DEP	4/19/2010					32.4	
			Well				DEP	6/15/2010					32.3	
			Well				DEP	7/8/2010						
			Well				DEP	7/13/2010					30.8	
			Well				DEP	7/21/2010					30.9	
			Well				DEP	7/29/2010					34.4	
			Well				DEP	8/4/2010					34.4	
			Well				DEP	8/11/2010					30.3	
			Well				DEP	8/18/2010					32	
			Well				DEP	8/24/2010					31.7	
			Well				DEP	8/31/2010					32.1	
			Well				DEP	9/8/2010					28.6	
			Well				DEP	9/15/2010	0.148	0.147	<0.001	<0.0002	32.4	<0.004
			Well				DEP	9/21/2010					31.5	
			Well				DEP	10/7/2010					29.4	
			Well				DEP	10/13/2010					32.9	
			Well				DEP	10/21/2010					32.7	
KITCHEN FAUCET		KITCHEN FAUCET	Well				CABOT	10/27/2010						
KITCHEN SINK		KITCHEN SINK	Well				CABOT	1/10/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	1/27/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	2/11/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	2/17/2011						
SPIGOT ON KITCHEN SINK		SPIGOT ON KITCHEN SINK	Well				CABOT	3/3/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	3/17/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	3/31/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	4/12/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	4/26/2011						
			Well				CABOT	5/10/2011						
			Well				CABOT	5/24/2011						
			Well				CABOT	6/7/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	6/23/2011				<0.003	34	<0.005
WELL 1 BEFORE		WELL 1	Well			Pre-Treatment	CABOT	6/23/2011				<0.0001	26	<0.002
WELL 1 AFTER		WELL 1	Well			Post-Treatment	CABOT	6/23/2011						
WELL 1		WELL 1	Well			Pre-Treatment	CABOT	7/7/2011						

WELL 1				WELL 1	Well			Pre-Treatment	CABOT	7/20/2011						
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/3/2011						
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/31/2011						

Notes:
a - Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
b - E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effects in drinking water.
c - Recommended action level from the Office of Surface Mining Reclamation and Enforcement - Appalachian Regional Coordinating Center, Pittsburgh, PA (September 2001)

Land Owner:
Water Supply Lat/Long:
Water Supply Depth:
Treatment (Y/N):
Gas Well Operator:
Gas Well:
Distance:

		Sample Location	Sample Medium	Latitude	Longitude	Treatment Collection	Source	Sample Date	Copper (mg/L)	Iron (mg/L)	Iron (SAC 942) (mg/L)	Iron (SAC 160) (mg/L)	Magnesium (mg/L)	Magnesium (SAC 942) (mg/L)
Primary Maximum Contaminant Levels	a								1.3					
Secondary Maximum Contaminant Levels	b									0.3	0.3	0.3		
Recommended Action Levels	c													
			Well				CABOT	7/17/2008			0.015			5.84
			Well				WSM (DEP)	12/17/2008	0.007			0.031		
KITCHEN SINK		KITCHEN SINK	Well				DEP	1/21/2009						
			Well				CABOT	2/20/2009					3.3	
			Well				DEP	4/19/2010		0.541				7.488
			Well				DEP	6/15/2010		0.131				7.567
			Well				DEP	7/8/2010						
			Well				DEP	7/13/2010		0.023				8.617
			Well				DEP	7/21/2010		<0.020				8.215
			Well				DEP	7/29/2010		0.023				7.728
			Well				DEP	8/4/2010		<0.020				8.009
			Well				DEP	8/11/2010		<0.020				8.268
			Well				DEP	8/18/2010		<0.020				8.276
			Well				DEP	8/24/2010		<0.020				7.455
			Well				DEP	8/31/2010		<0.20				7.649
			Well				DEP	9/8/2010		<0.020				8.035
			Well				DEP	9/15/2010	0.0065		<0.020	<0.02		7.327
			Well				DEP	9/21/2010		<0.020				6.836
			Well				DEP	10/7/2010		<0.020				8.49
			Well				DEP	10/13/2010		<0.020				7.29
			Well				DEP	10/21/2010		<0.020				7.538
KITCHEN FAUCET		KITCHEN FAUCET	Well				CABOT	10/27/2010		0.047				7.48
KITCHEN SINK		KITCHEN SINK	Well				CABOT	1/10/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	1/27/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	2/11/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	2/17/2011						
SPIGOT ON KITCHEN SINK		SPIGOT ON KITCHEN SINK	Well				CABOT	3/3/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	3/17/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	3/31/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	4/12/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	4/26/2011						
			Well				CABOT	5/10/2011						
			Well				CABOT	5/24/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	6/7/2011						
WELL 1 BEFORE		WELL 1	Well			Pre-Treatment	CABOT	6/23/2011		0.093			7.6	
WELL 1 AFTER		WELL 1	Well			Post-Treatment	CABOT	6/23/2011		<0.05			5.7	
WELL 1		WELL 1	Well			Pre-Treatment	CABOT	7/7/2011						

WELL 1				WELL 1	Well			Pre-Treatment	CABOT	7/20/2011						
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/3/2011						
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/31/2011						

Notes:
a - Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
b - E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effects in drinking water.
c - Recommended action level from the Office of Surface Mining Reclamation and Enforcement - Appalachian Regional Coordinating Center, Pittsburgh, PA (September 2001)

Land Owner:
Water Supply Lat/Long:
Water Supply Depth:
Treatment (Y/N):
Gas Well Operator:
Gas Well:
Distance:

		Sample Location	Sample Medium	Latitude	Longitude	Treatment Collection	Source	Sample Date	Magnesium (SAC 160) (mg/L)	Manganese (mg/L)	Manganese (SAC 942) (mg/L)	Manganese (SAC 160) (mg/L)	Mercury (mg/L)	Nickel (mg/L)
Primary Maximum Contaminant Levels	a												0.002	
Secondary Maximum Contaminant Levels	b									0.05	0.05	0.05		
Recommended Action Levels	c													
			Well				CABOT	7/17/2008						
			Well				WSM (DEP)	12/17/2008	3.633			0.027	<0.0002	<0.050
KITCHEN SINK		KITCHEN SINK	Well				DEP	1/21/2009						
			Well				CABOT	2/20/2009		<0.025				
			Well				DEP	4/19/2010		0.21				
			Well				DEP	6/15/2010		0.583				
			Well				DEP	7/8/2010						
			Well				DEP	7/13/2010		0.029				
			Well				DEP	7/21/2010		0.026				
			Well				DEP	7/29/2010		0.021				
			Well				DEP	8/4/2010		0.026				
			Well				DEP	8/11/2010		0.029				
			Well				DEP	8/18/2010		0.026				
			Well				DEP	8/24/2010		0.02				
			Well				DEP	8/31/2010		0.012				
			Well				DEP	9/8/2010		0.01				
			Well				DEP	9/15/2010	7.138		<0.01	<0.01	<0.0002	<0.005
			Well				DEP	9/21/2010		<0.01				
			Well				DEP	10/7/2010		<0.01				
			Well				DEP	10/13/2010		<0.01				
			Well				DEP	10/21/2010		<0.01				
KITCHEN FAUCET		KITCHEN FAUCET	Well				CABOT	10/27/2010		<0.025				
KITCHEN SINK		KITCHEN SINK	Well				CABOT	1/10/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	1/27/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	2/11/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	2/17/2011						
SPIGOT ON KITCHEN SINK		SPIGOT ON KITCHEN SINK	Well				CABOT	3/3/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	3/17/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	3/31/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	4/12/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	4/26/2011						
			Well				CABOT	5/10/2011						
			Well				CABOT	5/24/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	6/7/2011						
WELL 1 BEFORE		WELL 1	Well			Pre-Treatment	CABOT	6/23/2011		0.078			<0.0002	
WELL 1 AFTER		WELL 1	Well			Post-Treatment	CABOT	6/23/2011		0.027			<0.0002	
WELL 1		WELL 1	Well			Pre-Treatment	CABOT	7/7/2011						

WELL 1				WELL 1	Well			Pre-Treatment	CABOT	7/20/2011						
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/3/2011						
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/31/2011						

Notes:
a - Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
b - E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effects in drinking water.
c - Recommended action level from the Office of Surface Mining Reclamation and Enforcement - Appalachian Regional Coordinating Center, Pittsburgh, PA (September 2001)

Land Owner:
Water Supply Lat/Long:
Water Supply Depth:
Treatment (Y/N):
Gas Well Operator:
Gas Well:
Distance:

		Sample Location	Sample Medium	Latitude	Longitude	Treatment Collection	Source	Sample Date	Potassium (mg/L)	Selenium (mg/L)	Sodium (mg/L)	Sodium (SAC 942) (mg/L)	Sodium (SAC 160) (mg/L)	Strontium (mg/L)
Primary Maximum Contaminant Levels										0.05				
Secondary Maximum Contaminant Levels														
Recommended Action Levels														
			Well				CABOT	7/17/2008						
			Well				WSM (DEP)	12/17/2008						
KITCHEN SINK		KITCHEN SINK	Well				DEP	12/1/2009		<0.007			45.3	
			Well				CABOT	2/20/2009						1.06
			Well				DEP	4/19/2010	1.404		6.493			0.399
			Well				DEP	6/15/2010	1.238		6.677			0.471
			Well				DEP	7/8/2010						
			Well				DEP	7/13/2010	1.249		7.714			0.358
			Well				DEP	7/21/2010	1.215		7.417			0.332
			Well				DEP	7/29/2010	1.237		7.144			0.315
			Well				DEP	8/4/2010	1.264		7.344			0.324
			Well				DEP	8/11/2010	1.219		7.837			0.347
			Well				DEP	8/18/2010	1.212		7.503			0.34
			Well				DEP	8/24/2010	1.152		7.396			0.317
			Well				DEP	8/31/2010	1.147		6.814			0.304
			Well				DEP	9/8/2010	1.186		7.25			0.323
			Well				DEP	9/15/2010	1.203	<0.007		9.81	10.1	0.371
			Well				DEP	9/21/2010	1.165		8.986			0.361
			Well				DEP	10/7/2010	1.209		7.822			0.344
			Well				DEP	10/13/2010	1.17		6.848			0.297
			Well				DEP	10/21/2010	1.258		7.246			0.294
KITCHEN FAUCET		KITCHEN FAUCET	Well				CABOT	10/27/2010						0.35
KITCHEN SINK		KITCHEN SINK	Well				CABOT	1/10/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	1/27/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	2/11/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	2/17/2011						
SPIGOT ON KITCHEN SINK		SPIGOT ON KITCHEN SINK	Well				CABOT	3/3/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	3/17/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	3/31/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	4/12/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	4/26/2011						
			Well				CABOT	5/10/2011						
			Well				CABOT	5/24/2011						
			Well				CABOT	6/7/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	6/23/2011	1.4	<0.008	9.9			0.55
WELL 1 BEFORE		WELL 1	Well			Pre-Treatment	CABOT	6/23/2011	1.1	<0.002	6.4			<0.0002
WELL 1 AFTER		WELL 1	Well			Post-Treatment	CABOT	6/23/2011						
WELL 1		WELL 1	Well			Pre-Treatment	CABOT	7/7/2011						

WELL 1				WELL 1	Well			Pre-Treatment	CABOT	7/20/2011						
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/3/2011						
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/31/2011						

Notes:
a - Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
b - E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effects in drinking water.
c - Recommended action level from the Office of Surface Mining Reclamation and Enforcement - Appalachian Regional Coordinating Center, Pittsburgh, PA (September 2001)

Land Owner:
Water Supply Lat/Long:
Water Supply Depth:
Treatment (Y/N):
Gas Well Operator:
Gas Well:
Distance:

		Sample Location	Sample Medium	Latitude	Longitude	Treatment Collection	Source	Sample Date	Thallium (mg/L)	Zinc (mg/L)	Benzene (mg/L)	Ethylbenzene (mg/L)	MTBE (mg/L)	Toluene (mg/L)
Primary Maximum Contaminant Levels									0.002		0.005	0.7		1
Secondary Maximum Contaminant Levels										5				
Recommended Action Levels														
			Well				CABOT	7/17/2008			<0.0005	<0.0005	<0.0005	<0.0005
			Well				WSM (DEP)	12/17/2008	<0.002	0.011				
KITCHEN SINK		KITCHEN SINK	Well				DEP	1/21/2009						
			Well				CABOT	2/20/2009						
			Well				DEP	4/19/2010						
			Well				DEP	6/15/2010						
			Well				DEP	7/8/2010						
			Well				DEP	7/13/2010						
			Well				DEP	7/21/2010						
			Well				DEP	7/29/2010						
			Well				DEP	8/4/2010						
			Well				DEP	8/11/2010						
			Well				DEP	8/18/2010						
			Well				DEP	8/24/2010						
			Well				DEP	8/31/2010						
			Well				DEP	9/8/2010						
			Well				DEP	9/15/2010	<0.002	<0.01				
			Well				DEP	9/21/2010						
			Well				DEP	10/7/2010						
			Well				DEP	10/13/2010						
			Well				DEP	10/21/2010						
KITCHEN FAUCET		KITCHEN FAUCET	Well				CABOT	10/27/2010			<0.0005	<0.0005		<0.0005
KITCHEN SINK		KITCHEN SINK	Well				CABOT	1/10/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	1/27/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	2/11/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	2/17/2011						
SPIGOT ON KITCHEN SINK		SPIGOT ON KITCHEN SINK	Well				CABOT	3/3/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	3/17/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	3/31/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	4/12/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	4/26/2011						
			Well				CABOT	5/10/2011						
			Well				CABOT	5/24/2011						
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	6/7/2011						
WELL 1 BEFORE		WELL 1	Well			Pre-Treatment	CABOT	6/23/2011			<0.005	<0.005		<0.005
WELL 1 AFTER		WELL 1	Well			Post-Treatment	CABOT	6/23/2011			<0.0005	<0.0005		<0.0005
WELL 1		WELL 1	Well			Pre-Treatment	CABOT	7/7/2011						

WELL 1				WELL 1	Well			Pre-Treatment	CABOT	7/20/2011						
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/3/2011						
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/31/2011						

Notes:
a - Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
b - E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effects in drinking water.
c - Recommended action level from the Office of Surface Mining Reclamation and Enforcement - Appalachian Regional Coordinating Center, Pittsburgh, PA (September 2001)

Land Owner:
Water Supply Lat/Long:
Water Supply Depth:
Treatment (Y/N):
Gas Well Operator:
Gas Well:
Distance:

		Sample Location	Sample Medium	Latitude	Longitude	Treatment Collection	Source	Sample Date	Xylenes, total (mg/L)	VOADW	SVWW	Ethane (ug/L)	Ethene (ug/L)	iso-Butane (ug/L)
Primary Maximum Contaminant Levels									10					
Secondary Maximum Contaminant Levels														
Recommended Action Levels														
			Well				CABOT	7/17/2008	<0.0005					
			Well				WSM (DEP)	12/17/2008						
KITCHEN SINK		KITCHEN SINK	Well				DEP	12/12/2009				NON DETECT		
			Well				CABOT	2/20/2009				<0.025		<0.05
			Well				DEP	4/19/2010				1420	NON DETECT	
			Well				DEP	6/15/2010				1400		
			Well				DEP	7/8/2010				842	NON DETECT	
			Well				DEP	7/13/2010				716	NON DETECT	
			Well				DEP	7/21/2010				260	NON DETECT	
			Well				DEP	7/29/2010				244	NON DETECT	
			Well				DEP	8/4/2010				236	NON DETECT	
			Well				DEP	8/11/2010				80.9	NON DETECT	
			Well				DEP	8/18/2010				44.2	NON DETECT	
			Well				DEP	8/24/2010				8.55	NON DETECT	
			Well				DEP	8/31/2010				NON DETECT	NON DETECT	
			Well				DEP	9/8/2010				NON DETECT	NON DETECT	
			Well				DEP	9/15/2010		ND	ND	1.45	NON DETECT	
			Well				DEP	9/21/2010				NON DETECT	NON DETECT	
			Well				DEP	10/7/2010				NON DETECT	NON DETECT	
			Well				DEP	10/13/2010				NON DETECT	NON DETECT	
			Well				DEP	10/21/2010				NON DETECT	NON DETECT	
KITCHEN FAUCET		KITCHEN FAUCET	Well				CABOT	10/27/2010				18		<0.05
KITCHEN SINK		KITCHEN SINK	Well				CABOT	1/10/2011				1100		<0.05
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	1/27/2011				580		<0.05
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	2/11/2011				0.006		<0.05
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	2/17/2011				400		<0.05
SPIGOT ON KITCHEN SINK		SPIGOT ON KITCHEN SINK	Well				CABOT	3/3/2011				390		<0.05
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	3/17/2011				200		<0.05
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	3/31/2011				860		<0.05
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	4/12/2011				1,100		<0.05
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	4/26/2011				940		<0.05
			Well				CABOT	5/10/2011				820		<0.05
			Well				CABOT	5/24/2011				550		<0.05
			Well				CABOT	6/7/2011				260		<0.05
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	6/23/2011	<0.005			420		<0.05
WELL 1 BEFORE		WELL 1	Well			Pre-Treatment	CABOT	6/23/2011	<0.0005			8		<0.05
WELL 1 AFTER		WELL 1	Well			Post-Treatment	CABOT	6/23/2011	<0.0005					<0.05
WELL 1		WELL 1	Well			Pre-Treatment	CABOT	7/7/2011				110		<0.05

WELL 1				WELL 1	Well			Pre-Treatment	CABOT	7/29/2011					0.12		<0.05
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/3/2011					44		<0.05
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/31/2011					610		<0.05

Notes:
a - Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
b - E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effects in drinking water.
c - Recommended action level from the Office of Surface Mining Reclamation and Enforcement - Appalachian Regional Coordinating Center, Pittsburgh, PA (September 2001)

Land Owner:
Water Supply Lat/Long:
Water Supply Depth:
Treatment (Y/N):
Gas Well Operator:
Gas Well:
Distance:

		Sample Location	Sample Medium	Latitude	Longitude	Treatment Collection	Source	Sample Date	Methane (ug/L)	n-Butane (ug/L)	Propane (ug/L)	Sample Sheet Comments
Primary Maximum Contaminant Levels	a											
Secondary Maximum Contaminant Levels	b											
Recommended Action Levels	c								28,000			
			Well				CABOT	7/17/2008				
			Well				WSM (DEP)	12/17/2008				
KITCHEN SINK		KITCHEN SINK	Well				DEP	1/21/2009	66.5		NON DETECT	
			Well				CABOT	2/20/2009	210	<0.05		
			Well				DEP	4/19/2010	35300		NON DETECT	
			Well				DEP	6/15/2010	33300 (E)		CANCELLED	
			Well				DEP	7/8/2010	21200		NON DETECT	
			Well				DEP	7/13/2010	23600		NON DETECT	
			Well				DEP	7/21/2010	11300		NON DETECT	
			Well				DEP	7/29/2010	7970		NON DETECT	
			Well				DEP	8/4/2010	9850		NON DETECT	
			Well				DEP	8/11/2010	6780		NON DETECT	
			Well				DEP	8/18/2010	3550		NON DETECT	
			Well				DEP	8/24/2010	569		NON DETECT	
			Well				DEP	8/31/2010	118		NON DETECT	
			Well				DEP	9/8/2010	293		NON DETECT	
			Well				DEP	9/15/2010	440		NON DETECT	EDB-ND
			Well				DEP	9/21/2010	120		NON DETECT	
			Well				DEP	10/7/2010	20.7		NON DETECT	
			Well				DEP	10/13/2010	379		NON DETECT	
			Well				DEP	10/21/2010	814		NON DETECT	
KITCHEN FAUCET		KITCHEN FAUCET	Well				CABOT	10/27/2010	1200	<0.05	<0.05	
KITCHEN SINK		KITCHEN SINK	Well				CABOT	1/10/2011	32000	<0.05	<0.05	
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	1/27/2011	19000	<0.05	<0.05	
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	2/11/2011	0.23	<0.05	<0.05	
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	2/17/2011	14000	<0.05	<0.05	
SPIGOT ON KITCHEN SINK		SPIGOT ON KITCHEN SINK	Well				CABOT	3/3/2011	13000	<0.05	<0.05	
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	3/17/2011	7000	<0.05	<0.05	
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	3/31/2011	23000	<0.05	<0.05	
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	4/12/2011	29000	<0.05	<0.05	
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well				CABOT	4/26/2011	25000	<0.05	<0.05	
			Well				CABOT	5/10/2011	23000	<0.05	<0.05	
			Well				CABOT	5/24/2011	14000	<0.05	<0.05	
			Well				CABOT	6/7/2011	12000	<0.05	<0.05	
OUTSIDE SPIGOT		OUTSIDE SPIGOT	Well			Pre-Treatment	CABOT	6/23/2011	17000	<0.05	<0.05	
WELL 1 BEFORE		WELL 1	Well			Post-Treatment	CABOT	6/23/2011	280	<0.05	<0.05	
WELL 1 AFTER		WELL 1	Well			Pre-Treatment	CABOT	7/7/2011	3700	<0.05	<0.05	

WELL 1				WELL 1	Well			Pre-Treatment	CABOT	7/20/2011	480	<0.05	<0.05	
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/3/2011	4400	<0.05	<0.05	
WELL 1				WELL 1	Well			Pre-Treatment	CABOT	8/31/2011	18000	<0.05	<0.05	

Notes:
a - Maximum Contaminant Levels per E.P.A.'s National Primary Drinking Water Regulations. Safe Drinking Water Act (42 USC Chapter 6A Section 300f)
b - E.P.A. National Secondary Drinking Water Regulations are non-enforceable guidelines regarding contaminants that may cause cosmetic effects or aesthetic effects in drinking water.
c - Recommended action level from the Office of Surface Mining Reclamation and Enforcement - Appalachian Regional Coordinating Center, Pittsburgh, PA (September 2001)